

THE BROADMOOR WORLD ARENA PRODUCTION GUIDE

Technical Specifications for The Broadmoor World Arena

Contents

Η	story and Management	4
E١	vents and Tenants	4
Lo	ocation:	4
V	lanagement	5
P	arking	5
L(OGISTICAL INFORMATION	6
	Dressing Rooms/Locker Rooms	6
	Room Dimensions:	6
	Sound System	6
	Forklifts	6
	Intercom	6
	Staging	6
	Mixer Platform	7
	Seating Risers	7
	Event Power	7
	Emergency Equipment	7
	Floor(s)/Concourse/Outdoor Apron	7
	Lighting	7
	Show Lighting System	8
	Spotlights	8
	Load-In/Dock	8
	Locks and Keys	8
	Production Office	8
	Rigging and Fall Protection	8
	Scoreboard	9
	Telephones	9
	Features for Patrons with Disabilities	9
	Capacities	9
	Meeting Room Capacities	. 10
	General Admission	10

Seats	10
Trade Shows	11
Rental Rates	11
Deposit Requirements and Procedures	11
Event Personnel/ Equipment	11
Event Requirements and Staffing	11
Food and Beverage	11
Group Sales	11
Merchandise/Novelties	12
Selling of Illegal Merchandise (Bootlegging)	12
Marketing Services	12
Rules and Regulations with Alcohol	12
Patron Regulations	12
Smoking	12
Sponsorships	12
General Rules	12
Guidelines for Exhibiting Motorized Vehicles	13
Building Diagrams	14
Parking diagrams	14
Service Level + Locker Rooms	15
Catering room – Service Level	17
Penrose Club – Service Level	18
Concourse Layouts	19
Concourse Level	19.
Press Level	19
Rigging diagrams	21
Grid, scoreboard and high steel	21
High Steel	23
Catwalk	23.
Ground Plans	24.
Arena Floor Ground Plan with Dimensions	24
Arena Floor Ground Plan with Catwalks	25

The Broadmoor World Arena

Venue Contacts

General Manager/Booking

Dave Namesnik 719-477-2101

dnamesnik@broadmoorworldarena.com

Assistant General Manager

Michael Logan 719-477-2190

Mlogan@broadmoorworldarena.com

Division Head - Events and Guest Services

Ben Chuha 719-477-2109

bchuha@broadmoorworldarena.com

Director of Booking and Ticketing

Kyle Hamman 719-477-2151

khamman@broadmoorworldarena.com

Division Head – Sales/Marketing & Promotions

Jeff Lapsansky 719-477-2117

ilapsansky@broadmoorworldarena.com

Merchandise Director

Tuesday Heslop 719-429-2066

Tuesday@broadmoorworldarena.com

Production Manager

Jeff Dean 719-477-2115

jdean@broadmoorworldarena.com

Event Manager

Janelle Augustine 719-477-2156

jaugustine@broadmoorworldarena.com

Event Manager

Dylan Pike 719-477-2129

dpike@broadmoorworldarena.com

Event Manager

Elise Jenkins 719-477-2134

ejenkins@broadmoorworldarena.com

History and Management

The Broadmoor World Arena is a \$55.7 million multi-purpose Arena which opened in January 1998. The Arena seats 7,500 for hockey and other ice events and approximately 8,500 for concerts, family shows and other events. The facility is the largest Arena in southern Colorado. Located in El Paso County, the Arena draws on a captive audience of 2.5 million people within a 50-mile radius.

Events and Tenants

The Arena features many of the latest touring family shows, concerts, ice competitions, and competitive sports and comedy including Disney on Ice, Globetrotters, WWE Raw and Smackdown, Shane Gillis, Nate Bargatze, Cirque du Soleil, Grand Prix of Figure Skating, Champions on Ice, Skate America, Professional Bull Riding, Pikes Peak or Bust Rodeo and Monster Jam, among many others.


Location:

The Broadmoor World Arena (BWA)

3185 Venetucci Blvd. Colorado Springs, CO 80906

Telephone Number (719) 477-2100

Web Address: www.broadmoorworldarena.com





Management

BWA is a nonprofit charitable organization that financed, constructed, and owns the Arena. A Board of Directors oversees the management of the Arena, Ice Hall, and Pikes Peak Center for Performing Arts.

The BWA management also includes the Ice Hall and Pikes Peak Center for Performing Arts. The Ice Hall consists of two skating surfaces, one Olympic size ($200' \times 100'$) with seating for 400 and one NHL size ($200' \times 85'$) with spectator seating for 100. The Ice Hall can be rented separately or in conjunction with the Arena.

Pikes Peak Center for the Performing Arts, home of the Colorado Springs Philharmonic and Broadway, (PPC) is a 2,012-seat theater located in downtown Colorado Springs and serves as a regional entertainment, cultural, educational and assembly center. Studio Bee is a 200 seated black box theater in the PPC. Since its opening in 1982, Pikes Peak Center has achieved international acclaim for its design and acoustical qualities.

The World Arena is in Colorado Springs at 3185 Venetucci Boulevard. It is strategically situated one and a half hours south of Denver and 35 miles north of Pueblo, CO. It is easily accessible by Interstate 25 and Highways 24, 87, and 115. From Denver or Pueblo take Interstate 25 to South Circle Drive/Lake (Exit #138). Follow Lake west (towards the mountains) to Venetucci Blvd. Make a left onto Venetucci and follow to the 2nd traffic light. The World Arena will be on your left. The World Arena is located 15 minutes from the Colorado Springs International Airport.

Parking

The Broadmoor World Arena has on-site parking lots with a capacity of 2,400 vehicles. A parking fee is charged to all vehicles. A premium permit lot with a capacity of 200 vehicles is also available for Club members. Please see attached for diagrams.

LOGISTICAL INFORMATION

Dressing Rooms/Locker Rooms

There are six (6) dressing rooms that are approximately 23' x 10' and one production office available for use. All rooms are located behind the stage and have shower and restroom facilities.



Room Dimensions:

Locker A, B, C, D: 25' X 17'

Locker F: 14' x 31'

Visitor's Locker / Production Office: 26' x 19'

Small Production Office: 10' x 9'

Pete Susemihl Conference Room: 33' x 29'

Catering Room: 36' x 32'

Audio System

Main PA- L'Acoustics A15i arrays with X12 fills, single box, autofiltering

- Main Arrays 10 Arrays consisting of 1 A15i Focus and 3 A15i Wide
- 2 North, 2 South, 3 East, 3 West
- Ice Fills 2 Arrays of 3 A15i Wide, serving as floor fills
- Amplification 6 x L'Acoustics LA7.16i → 16 channels each @ 1300w/ 8 ohms

Concourse Distributed Audio

- Loudspeakers 50 Sonance PS-S53T MKII Surface Mount Speakers
- Amplification 4 Powersoft Quattrocanali 70v amplifiers

Mixing Console

• Allen & Heath AH-SQ-6

Microphones

- Shure ULXD 4 Channel Receiver
- 4 Handheld transmitters with SM58 capsules
- RF Venue Diversity Antenna

Assistive Listening

- Listen iDSP Prime Level III Stationary RF System
- 4 Intelligent DSP RF Receivers
- 4 Universal Ear Speakers
- 2 Intelligent Earphone/ Neck Loop Lanyards

Control

- QSYS Core 110f-V2
- QSC TSC-101-G3 Control Room Touch Panel



Forklifts

The Arena owns one (1) 5,000 lbs. forklift. The lift is propane fueled, has a lift height of 15' and is equipped with side shift. Two sets of fork extensions (6') are available. Additional forklifts may be rented at the event's request.

Intercom

The World Arena has a Clear-Com system with ten (10) stations which includes house lights, control room, and spotlights.

Staging

The World Arena has a Stage Right portable stage. It will accommodate a 64' x 48' or 80' x 40' main stage. Sections are reversible 4' x 8' decks with black tech stage finish. The height of the stage can range from 4' to 6' in 2'increments. Accessories include a ramp, stairs, guardrails, and black skirting.

Mixer Platform

The standard mix size is 16' x 24'; height can vary from 16" to 24".

Seating Risers

Stage and mixer decks can also be used for portable seating risers that can accommodate up to 700 patrons for basketball or other special events.

Event Power

<u>Location</u>	<u>Amps</u>	<u>Distance from Stage</u>
Stage Right	3x400	50 feet
Stage Left	200	50 feet
North End	2x100	200 feet
Outside	1x400, 3x200	75 feet
Catwalk 200	1x400, 1x200	75 feet
Dock	3x30 (4wire)	125 feet

All event power is three phase. All Neutral and Ground are reversed cam locks.



Emergency Equipment

Fire extinguishers, fire sprinklers, and smoke sensors are located throughout the Arena. An emergency generator will provide backup sound and lights in case of a power failure.

Floor(s)/Concourse/Outdoor Apron

The Arena floor is $100' \times 200'$ (Olympic size) with full ice making capabilities. The Arena floor is 19,500 square feet for trade shows. The floor load is 350 pounds per square foot. The ice floor can be covered with a portable ice deck. The Arena also has a Robbins' portable basketball floor ($112' \times 60'$). The concourse level has 26,000 square feet available, and the outdoor apron area has an additional 56,000 square feet.

Lighting

The house lighting controls are in the control room on the press level or in the Operation Office located next to the loading dock. Event lights consist of 1,000-watt metal halide lights. House lights consist of 1,000-watt quartz and metal halide lights. These lights may be dimmed. Maximum lighting for events is 150 vertical foot-candles and 250 horizontal foot-candles.

Show Lighting System

10 Sections of 2'x7.5' box truss. Each section of truss has a light bar with 6 PAR64 brushed aluminum lights.

Spotlights

The Broadmoor World Arena has eight (8) spotlights – (6) Strong Super Trouper II (2,000 watts) and (2) Lycian M2 Long Throw, (2,500 watts). 2 of the Super Trouper II's are permanently located above the north end seating area (Sections 112 &113, All other spotlights are either temporarily located around the Arena or in storage and can be placed where called for by the event. Additional spotlights may be rented at the event's request.

Load-In/Dock

The loading dock is located at the Southeast end of the Arena, approximately 100' from the Arena floor. There are three (3) docks with levelers and one (1) drive-in door. There is adequate parking for twelve (12) buses or semi-trucks outside the load-in area. Additional parking is also available.

Locks and Keys

Locker/dressing rooms may be secured with the master key.

Production Office

A production office is available on the service level next to the visitor's locker room. The production office can be equipped with up to three telephone lines and high-speed DSL wireless internet capability. There is a fee charged per line, per day for installation and long-distance charges.

Rigging and Fall Protection

Distance from Arena floor to ceiling is 79'. Distance from the floor to the low steel is 74'. Distance from the floor to end stage rigging grid is 58'. Total rigging weight for end stage configurations is 120,000 pounds. Arena rigging plans are available by contacting the Events Department. All rigging plans,



including the weight of each point, must be submitted to and approved by the Director of Events prior to load-in. The Arena is equipped with a MILLER / Bacou-Dalloz fall protection system.

- Distance from Floor to ceiling: 79'
- Distance from Floor to High Steel: 78' 6"
- Distance from Floor to Low Steel: 73' 10"
- Distance from Floor to Grid: 58'
- Distance from Floor to Catwalk: 58'
- Rigging Grid Dimensions: 60'w x 40'd
- Rigging Grid Total Weight Capacity: 120,000 lbs.
- Rigging Grid is located 2' off South End of Floor
- DS Edge of Grid to Catwalk: 5'
- Distance from Floor to Scoreboard Platform: 64'
- Distance from Floor to Bottom of Scoreboard: 39' 8"
- Scoreboard Grid Dimensions: 25' East to West x 23' North to South
- Top of Scoreboard Dimensions: 21' 5" x 12' 5"
- Scoreboard is centered to the Arena Floor (Surface: 200' x 100')
- Roof Trusses are 6' apart on center
- Off-Grid Trusses Weight Capacity: 6,000 lbs.
- Off-Grid Trusses with Rigging Plates Weight Capacity: 4,000 lbs.
- Standard Panel Point Weight Capacity: 2,000 lbs.
- Safety Line on Grid will Support a Static Load of 1,000 lbs.
- Eight (8) MSA Sure Line Temporary Horizontal Lifelines are available. Each are 60' with a Working Load of 600 lbs.

Scoreboard

The scoreboard is a center-hung, adjustable height, Daktronics board with 4-12mm ProStar VideoPlus displays and 4-23mm ProAd Digital Advertising displays. The ProStar displays for video replay are 90"x120" and the ProAd displays for graphics and animation are 86"x115". Distance from Arena floor to bottom of scoreboard is 39'-8".

Telephones

Telephones and internet access can be installed or is available in any of the dressing rooms or press box.



Features for Patrons with Disabilities

All entrances to the concourse level of the Arena are wheelchair accessible. Designated disabled parking is conveniently located surrounding the Arena entrances and elevators are available inside the Arena to provide access between levels. Disabled seating is available around the inner bowl of the Arena on the concourse level. The Arena is equipped with an in-house listening device system for the hearing impaired. The hearing-impaired system may be checked out through the Guest Service Booth located behind sections 103 and 104.

Capacities

Arena Capacities

Meeting Room Capacities

General Admission

General admission or open floor seating is permitted only with prior approval from the General Manager.

Seats

Fixed seating consists of Hussey chairs with plastic molded backs. Disabled seating is located around the inner bowl. The Penrose Club and Broadmoor Suite seating consists of Hussey Theater style chairs with cushioned backs and bottoms. Portable chairs have upholstered backs and seats and interlock for use on the Arena floor.



Trade Shows

The Arena features 19,500 sq. ft. of column free exhibition space. The floor can be designed to accommodate a variety of booth layouts. All necessary pipe and drape requirements to assemble booths can be arranged through the Arena. The Arena concourse (26,000 sq.ft.) and the outdoor Concrete Apron (56,000 sq.ft.) may also be available for displays with prior approval.

Rental Rates

Facility rental rates are available upon request. All rental charges refer to the rental of the building and do not include the cost of labor, equipment, or other cost related to the event. Taxes: Colorado sales tax is 8.25%. There is no seat tax in Colorado Springs.

Deposit Requirements and Procedures

A deposit is required to secure a date at the Arena. This amount is due upon execution of the lease or whenever another promoter challenges a date. In case of multiple events, BWA will hold the deposit as a floating deposit unless those dates are challenged, in which case the promoter must provide the additional deposit for each challenged date. BWA management reserves the right to require an additional sum in advance as a damage deposit, which will be refunded after the event is settled and the facility is completely inspected. Management further reserves the right to require a deposit to cover all estimated expenses, including but not limited to: rent, ticketing fees, set-up/down, staffing, damages, advertising, electrical services and miscellaneous equipment and/or services.

Event Personnel/ Equipment

BWA can provide a full-range of event equipment and personnel including ushers, ticket-takers, security, stagehands, cleaning, and technical support. Available equipment and fees will be provided upon request.

Event Requirements and Staffing

BWA will provide, and the leaser will be charged for all event-related staffing. BWA requires general security for the building and perimeter. Additional security may be added to the event, if in Management's opinion the safety of the public is endangered. All event requirements must be coordinated with and approved by BWA at least 14-21 days prior to the event. If an event is canceled for any reason other than an Act of God, a refund will not be made.

Food and Beverage

All food, beverage and concessions are operated and controlled by Oak View Group. Together with BWA, OVG will determine the number of stands required to serve the public. All arrangements for serving food and beverages, and all sales of concessions are to be made through OVG.

Group Sales

BWA is available to assist with a group sales campaign. This service is offered for a sales commission and out of pocket expenses.



Merchandise/Novelties

Merchandise will be inventoried in and out and sold by the Broadmoor World Arena. Net sales shall be gross receipts less associated expenses, including security, staffing, taxes, credit card fees, and merchandise percentage.

Selling of Illegal Merchandise (Bootlegging)

Selling of illegal merchandise (merchandise not sold under the approval of BWA Management) is prohibited on Broadmoor World Arena Property.

Marketing Services

BWA is available to assist the promoter with the numerous details involved to successfully market the event. BWA can provide information for the production and placement of print and electronic advertising. For a negotiated commission, BWA can also assist with promotions, public relations and publicity needed to ensure ticket sales.

Rules and Regulations with Alcohol

No alcoholic beverages may be brought into the BWA. Alcoholic beverages may be sold during certain events. All alcoholic beverages are to be provided by Oak View Group. Alcoholic beverages are permitted in designated or licensed areas only. No alcoholic beverages may be consumed in the parking lot.

Patron Regulations

The following items cannot be brought into the Arena by patrons: food, beverages, alcohol, bottles, cans, coolers, illegal drugs, fireworks, weapons, aerosol cans, air horns, animals (except service animals), and large signs or banners. The use of cameras, recording equipment and video equipment will be permitted at the discretion of the event promoter.

Smoking

Smoking is not permitted in the BWA. Designated smoking areas are available.

Sponsorships

Signage rights inside and outside the Arena are owned by BWA. Any signs, banners, or advertising must be pre-approved by Management.

General Rules

- Helium balloons are not permitted in the building.
- Stickers and adhesive decals are not to be given out in or around the complex.
- The cost of removing excessive tape will be the responsibility of the leasor.
- Nails, screws, or tacks are not to be driven into the arena floor, walls, or surfaces.




Guidelines for Exhibiting Motorized Vehicles


- The maximum amount of fuel contained shall be no more than 1 gallon per vehicle.
- Vehicles with any type of leak will not be permitted to be on display. Plastic must be laid under all vehicles as a precaution.
- There shall be no refueling of vehicles inside the building
- There shall be no repair work done on vehicles while on display.
- There shall not be any storage of flammable fuel in the building except for that which is in the vehicle.
- Vehicles may not be started except for move-in and move-out.
- Batteries must be always disconnected while on display except for move-in and move-out.
- Fuel tank doors must be locked, or fuel caps taped shut.
- There shall be an adequate amount of fire extinguishers in and around the area where the vehicle is being displayed.
- At all times vehicle keys must be readily available to BWA Management



Building Diagrams Parking diagrams








TRUCK PARKING Please park in areas of blue. Can double park. Willwood Rd will be available for bus/truck traffic or parking as needed. Orange area will be used by house staff. Be mindful of the ticket booth (Yellow Box) in the corner by Chuck E Cheese. Must leave clear path for ingress and egress of cars at the same time. Will be able to leave some trucks in loading dock area.

Service Level + Dressing Rooms/Locker Rooms

There are six (6) dressing rooms approximately and one production office available for use. All rooms are located behind the stage and have shower and restroom facilities. Additional rooms may be available upon request.




World Arena Service Level





Catering room – Service Level


East Catering Room 38'x30'





Penrose Club – Service Level

Penrose Club





Concourse Layouts


Concourse Level

WORLD ARENA Smoking Area Gate C Grill _ 54' 1-1/8" 19' 1-1/2" **1999** • 1 1 5 116 Guest Services 105 109 108 First Aid <u>.</u> 20' 2-5/8" Вох Gate A Gate B

Office



Press Level





Rigging diagrams

Grid, scoreboard and high steel

WORLD ARENA


Grid, Scoreboard, High Stee





High Steel

HIGH ROOF STEEL JOIST SUSPENDED LOAD CAPACITIES



ROOF LEVEL FRAMING PLAN

NOTES


- RIGGING PLATES PROVIDED AT STEEL JOIST BOTTOM CHORD, 4000 POUND MAXIMUM LOAD PER LOCATION. LOAD MUST BE APPLIED VERTICALLY.
- 2. IN ADDITION TO LOAD CAPACITIES DEFINED IN NOTE #1, ALL ROOF JOISTS
 HAVE BEEN DESIGNED FOR A SUSPENDED DEAD LOAD OF 10 PSF. ALLOWABLE
 CONCENTRATED LOADS ON ANY SINGLE JOIST ARE PROVIDED BELOW. LOADS MUST BE
 APPLIED AT JOIST PANEL POINTS, AND LOADS MUST BE APPLIED VERTICALLY.

ROOF JOIST PLAN AREA	MAXIMUM NUMBER OF LOADS PER JOIST				
	2000 LB LOAD	1500 LB LOAD	1000 LB LOAD	500 LB LOAD	200 LB LOAD
①	1	2	3	6	18
2.3	1	1	2	5	15
4	0	1	1	3	10
(5)	1	1	2	4	12



Catwalk

SHOW RIGGING GRID LOAD CRITERIA



CATWALK / RIGGING LEVEL FRAMING PLAN

NOTES:


- 1. SHOW LOADING SHALL BE SUSPENDED ONLY FROM THE FRAMING INDICATED ON PLAN WITH A NUMBER MARK. OTHER FRAMING MEMBERS, SUCH AS ROOF JOISTS AND CATWALK FRAMING, SHALL NOT BE USED TO SUPPORT SHOW LOADING,
- EXCEPT AS DEFINED IN NOTES #6 AND #7.

 2. THE MAXIMUM WORKING LOAD FOR EACH MEMBER SEGMENT MARKED WITH 1 IS ONE LOAD OF 5,000 POUNDS ACTING ANYWHERE ALONG THE MEMBER SO LONG AS THE TOTAL LOAD ON THE MEMBER DOES NOT EXCEED 5,000 POUNDS.
 SIMILARLY, THE MAXIMUM WORKING LOAD FOR EACH MEMBER SEGMENT MARKED WITH (2) IS ONE LOAD OF 10,000 POUNDS.
- 3. THE TOTAL REACTION SUSPENDED BY HANGER TYPE A SHALL NOT EXCEED 15,000 POUNDS.

 4. THE TOTAL REACTION SUSPENDED BY HANGER TYPE B SHALL NOT EXCEED 10,000 POUNDS.
- THE TOTAL LOADS SUSPENDED BY ALL MEMBERS WITHIN AREA (A) SHALL NOT EXCEED 120,000 POUNDS.
- 6. UP TO 2,000 POUNDS LOAD MAY BE SUSPENDED VERTICALLY FROM EACH OF
- (6) W14x22 CATWALK BEAMS, 12,000 POUNDS MAXIMUM.
 7. UP TO 4,000 POUNDS LOAD MAY BE SUSPENDED VERTICALLY FROM EACH OF (4) W24x55 SCOREBOARD PLATFORM BEAMS, 16,000 POUNDS MAXIMUM. MAXIMUM SINGLE CONCENTRATED LOAD IS 2,000 POUNDS.



Arena Floor Ground Plan with Dimension





Arena Floor Ground Plan with Catwalks

